

THE LEADING MANUFACTURER OF  
WAX-ROOM EQUIPMENT  
WORLDWIDE

MPI

96

WAX PUMP



Model 96 Hydraulically Driven  
Wax Pump shown

## ***Finally a Pump designed for wax***

- Long lasting, smooth operation
- High volume output with less seal wear
- Two single-acting pumps with no downtime
- Available in Hydraulic or Pneumatic versions
- 10 minute seal replacement



Model 96 Pneumatically Driven Wax Pump shown

### **Pneumatically or Hydraulically driven pumps**

*A pump perfectly suited to your application*

*Pneumatic Pump, 200 PSI (14 bar) - ideal for closed loop or deadheaded wax transfer*

*Hydraulic Pump, 700 PSI (49 bar) - ideal for closed loop, long distance wax transfer (e.g., your entire wax room)*

### **Two Single-Acting 42 cu. in. (0.7) per stroke Wax Pumps**

*Reduced maintenance*

*Two pumps alternate for continuous wax flow. Single-acting design eliminates wax rod seals, the highest point of wear on common double acting pumps*

### **Easy Seal Replacement**

*MPI's unique design - no downtime*

*Replace piston seals while one pump remains in operation; one pump continues to run at half volume (select Pump 1, Pump 2, or both)*

### **Low Maintenance Wax Valves**

*No seals*

*Check valves are hardened metal to metal for long life*

